



Specifications

| | |
|----------------------|--|
| Style Name: | Bark / Bark Plus / Bark Edge |
| Construction: | Multi- Level Loop |
| Fiber: | Voxflor Certified Nylon / Voxflor Certified Nylon + Antron® Legacy Nylon 66 / Voxflor Certified Nylon + Antron® Legacy Nylon 66 |
| Gauge: | 1/10" |
| Stitches: | 9 per inch |
| Average Pile Height: | 5mm±0.5mm |
| Pile Weight: | 32 OZ/yd ² / 33 OZ/yd ² / 33 OZ/yd ² |
| Backing: | PVC with fiberglass |
| Tile size: | 25cm*100cm |
| Area of Use: | Commercial – General Duty |
| Anti-microbial: | Health Guard (Available) |
| Flammability: | ASTM E 648 Class I, GB8624-2012 B1(C) |
| Smoke Density: | ASTM E 662 Less than 450, GB/T 8627-1999 |
| Static Propensity: | AATCC-134 ≤3.5kV, GB/T 18044-2008 |

| | |
|----------------------|--|
| Style Name: | Stone / Stone Plus / Stone Edge |
| Construction: | Multi- Level Loop |
| Fiber: | Voxflor Certified Nylon / Voxflor Certified Nylon + Antron® Legacy Nylon 66 / Voxflor Certified Nylon + Antron® Legacy Nylon 66 |
| Gauge: | 1/10" |
| Stitches: | 9 per inch |
| Average Pile Height: | 5mm±0.5mm |
| Pile Weight: | 32 OZ/yd ² / 33 OZ/yd ² / 33 OZ/yd ² |
| Backing: | PVC with fiberglass |
| Tile size: | 25cm*100cm |
| Area of Use: | Commercial – General Duty |
| Anti-microbial: | Health Guard (Available) |
| Flammability: | ASTM E 648 Class I, GB8624-2012 B1(C) |
| Smoke Density: | ASTM E 662 Less than 450, GB/T 8627-1999 |
| Static Propensity: | AATCC-134 ≤3.5kV, GB/T 18044-2008 |

| | |
|----------------------|--|
| Style Name: | Moss |
| Construction: | Multi- Level Loop |
| Fiber: | Antron® Legacy Nylon 66 |
| Gauge: | 1/10" |
| Stitches: | 9 per inch |
| Average Pile Height: | 5mm±0.5mm |
| Pile Weight: | 32 OZ/yd ² |
| Backing: | PVC with fiberglass |
| Tile size: | 25cm*100cm |
| Area of Use: | Commercial – General Duty |
| Anti-microbial: | Health Guard (Available) |
| Flammability: | ASTM E 648 Class I, GB8624-2012 B1(C) |
| Smoke Density: | ASTM E 662 Less than 450, GB/T 8627-1999 |
| Static Propensity: | AATCC-134 ≤3.5kV, GB/T 18044-2008 |



Declare.