



MANDATE KARO HALI

Office - Showroom

T: +90 212 274 44 22 | +90 212 274 42 89

E: info@anilzemin.com | bilgi@anilzemin.com

Web: www.anilzemin.com

A: Vadi İstanbul Bulvar 2A Apt, No:3/I , Kat:2 Daire:
15 - 16, Azerbaycan Cd., 34247 Ayazağa/Sarıyer/İST

logistics 1

T: +90 212 229 44 38 | E: info@anilzemin.com |

bilgi@anilzemin.com | www.anilzemin.com A: Poligon

Mah. Sevim Sok. No:10/B İstinye / Sarıyer / İstanbul


logistics 2

Hellmann Worldwide Logistics

Samples:

Tel: 0212 274 44 22

E mail: info@anilzemin.com



Mandate 12



#1239



#1220

Mandate 12



#1208



#1220



#1239



#1245

Mandate 12



#1208



#1245

AZM Mandate 12 Specification Sheet



Product:	Mandate 12*
Reference picture:	
Fiber:	100% Polypropylene
Structure:	Loop pile: Multi-Level loop
Gauge:	1/12"
Stitches:	10 per inch
Tufts/sqm:	186000
Average Pile Height:	4.0+/-0.5mm
Total Height:	6.3+/-0.5mm
Pile Weight:	680g/sqm
Total Weight:	3370g/sqm ± 10%
Tile Size:	50*50cm
Backing:	E+Bac (Bitumen Backing)
Approved Installation Method:	 Monolithic Quarter-turn Brick
Flammability:	ASTM E 645: ≥ 0.22 watts/cm ² Class II
Smoke Density:	ASTM E 662: ≤ 450 DMC
Dimensional Stability	AACHEN: ≤ 0.2 %
Tuft Bind:	ASTM D 1335: ≥ 8.0 lbs
Delamination:	ASTM D 3936: ≥ 3.0 lbc/in
Static Propensity	AATCC 134: ≤ 3.5 kV
Colorfastness to Light	AATCC 16E: $\geq 4-5$
Colorfastness to Water	AATCC 107: $\geq 4-5$
Colorfastness to Crocking	AATCC 165: $\geq 4-5$



Office - Showroom: T: +90 212 274 44 22 | +90 212 274 42 89 E: info@anilzemin.com | bilgi@anilzemin.com Web: www.anilzemin.com

A: Vadi İstanbul Bulvarı 2A Apt, No:3/I , Kat:2 Daire: 15 - 16, Azerbaycan Cd., 34247 Ayazağa/Sarıyer/İstanbul

logistics 1: T: +90 212 229 44 38 | E: info@anilzemin.com | bilgi@anilzemin.com | www.anilzemin.com A: Poligon Mah. Sevim Sok. No:10/B İstinye / Sarıyer / İstanbul

logistics 2: Hellmann Worldwide Logistics