



# Altro Cantata™ Decorative adhesive-free floor



# Altro Cantata – adhesive-free



Frosted Oak  
AFW280001  
WR335 / A1M335 / LRV 52



Champagne Oak  
AFW280010  
WR338 / A1M338 / LRV 38



Summer Oak  
AFW280005  
WR340 / A1M340 / LRV 37



Honey Maple  
AFW280011  
WR352 / A1M352 / LRV 27



Imperial Walnut  
AFW280009  
WR341 / A1M180 / LRV 15



Frosted Glass  
AFP282005  
WR388 / A1M388 / LRV 52



Mocha  
AFP282003  
WR389 / A1M389 / LRV 40



Graphite  
AFP282002  
WR390 / A1M390 / LRV 30



True Grit  
AFP282001  
WR391 / A1M82 / LRV 17



Black Sand  
AFP282010  
WR485 / A1M485 / LRV 7



Caramel Oak  
AFW280008  
WR353 / A1M25 / LRV 25



Soft Maple  
AFW280002  
WR339 / A1M339 / LRV 24



Shaded Cherry  
AFW280004  
WR337 / A1M337 / LRV 17




Dusky Cherry  
AFW280003  
WR338 / A1M238 / LRV 22



Vintage Oak  
AFW280012  
WR322 / A1M238 / LRV 19



Willow Tree  
AFP282007  
WR399 / A1M399 / LRV 41



Bluebell  
AFP282004  
WR396 / A1M396 / LRV 26



Sunrise  
AFP282008  
WR393 / A1M393 / LRV 18



Hazelnut  
AFP282009  
WR418 / A1M239 / LRV 18



Crime Caramel  
AFP282006  
WR385 / A1M385 / LRV 50



Timeless Oak  
AFW280007  
WR347 / A1M347 / LRV 38



Pitch Oak  
AFW280006  
WR348 / A1M348 / LRV 7



Bluefin  
AFC281001  
WR438 / A1M486 / LRV 25



Milan  
AFT284002  
WR482 / A1M482 / LRV 15



Rome  
AFT284001  
WR481 / A1M83 / LRV 16



Venice  
AFT284004  
WR484 / A1M484 / LRV 40



Trevi  
AFT284003  
WR483 / A1M483 / LRV 44



Seal Grey  
AFC281002  
WR435 / A1M390 / LRV 26



Elephant Grey  
AFC281003  
WR436 / A1M487 / LRV 17





## Altro Wood adhesive-free

### Application areas:

- bedroom in care homes and hotels
- corridors, general circulation, reception and public areas in hospitals, care homes, kindergartens and schools
- wards, waiting and treatment rooms in hospitals and care homes
- as an alternative to LVTs in student accommodation
- common room / staff rooms in schools
- café / dining areas

Some shades match Altro Wood and Altro Wood Comfort.

NEW Altro Wood adhesive-free is a safe, durable and decorative solution for busy spaces; enabling you to create stylish, biophilic and warm environments. It offers 14dB impact sound reduction and high levels of comfort underfoot. Using our award-winning adhesive-free installation method, it can be welded and walked on the same day, and at the end of its life removed easily, to be reused or recycled. It is ideal for busy public spaces where disruption needs to be minimal, plus there are no associated adhesive odours. Now with NEW matching design and colour options across the Altro Wood collection, giving you a consistent look in different areas with varying performance criteria.



Frosted Oak | AFW280001  
WR335 / A1M335 / LRV 51



Portuguese Oak  
AFW280013  
WR335 / A1M335 / LRV 51



Timeless Oak  
AFW280007  
WR347 / A1M347 / LRV 38



Post Oak  
AFW280016  
WR350 / A1M483 / LRV 30



Champagne Oak  
AFW280010  
WR338 / A1M338 / LRV 38



Summer Oak  
AFW280005  
WR340 / A1M340 / LRV 37



Soft Maple  
AFW280002  
WR339 / A1M339 / LRV 24



Caramel Oak  
AFW280006  
WR353 / A1M225 / LRV 25



Honey Maple  
AFW280011  
WR352 / A1M052 / LRV 27



Birnam Oak  
AFW280017  
WR352 / A1M352 / LRV 21



Imperial Walnut  
AFW280009  
WR341 / A1M160 / LRV 15



Bur Oak  
AFW280015  
WR514 / A1M514 / LRV 21



Shaded Cherry  
AFW280004  
WR337 / A1M337 / LRV 17



Oxford Oak  
AFW280014  
WR339 / A1M339 / LRV 22



Holm Oak  
AFW280018  
WR478 / A1M390 / LRV 26



Dusky Cherry  
AFW280003  
WR336 / A1M229 / LRV 22



Vintage Oak  
AFW280012  
WR322 / A1M239 / LRV 19



Pitch Oak  
AFW280008  
WR348 / A1M348 / LRV 7



# Floors



## Altro Cantata

### Application areas:

- reception, public areas, corridors in hospitals, residential care homes and education
- treatment rooms, wards / bedrooms, waiting areas in hospitals and residential care homes
- café and dining areas, seating areas in bars
- classrooms, staff rooms and play areas in kindergartens and schools

A tonal and modernist, adhesive-free floor that creates maximum impact with minimum downtime. New Altro Cantata is ideal for busy public spaces where disruption needs to be minimal, and has no associated adhesive odours. It now gives you enhanced cleanability, 14dB impact noise reduction, plus comfort underfoot to help reduce fatigue. Using our award-winning adhesive-free installation method, it can be welded and walked on the same day, and at the end of its life can be removed easily, allowing it to



Hazelnut | AFP282009  
WR418 / A1M239 / LRV 18


# Floors




Frosted Glass  
AFP282005  
WR388 / A1M388 / LRV 52



Mocha  
AFP282003  
WR389 / A1M389 / LRV 40



Graphite  
AFP282002  
WR390 / A1M390 / LRV 30



True Grit  
AFP282001  
WR391 / A1M82 / LRV 17



Black Sand  
AFP282010  
WR485 / A1M485 / LRV 7



Crème Caramel  
AFP282006  
WR385 / A1M385 / LRV 50



Willow Tree  
AFP282007  
WR399 / A1M399 / LRV 41



Bluebell  
AFP282004  
WR398 / A1M398 / LRV 26



Sunrise  
AFP282008  
WR393 / A1M393 / LRV 19



Treviso  
AFT284003  
WR483 / A1M483 / LRV 44



Seal Grey  
AFC281002  
WR435 / A1M390 / LRV 26



Bluefin  
AFC281001  
WR438 / A1M486 / LRV 26



Milan  
AFT284002  
WR482 / A1M482 / LRV 15



Rome  
AFT284001  
WR481 / A1M83 / LRV 16



Venice  
AFT284004  
WR484 / A1M484 / LRV 40



Elephant Grey  
AFC281003  
WR436 / A1M487 / LRV 17

# Altro Cantata – adhesive-free



Property	Standard	Performance
Flooring Type	EN 13845/EN 13553	Safety flooring
Thickness	EN ISO 24346	2.4 mm
Wear layer	EN ISO 24340	0.7 mm
Roll dimensions	EN ISO 24341	2.0m x 20.00m - 40m <sup>2</sup>
Weight	EN ISO 23997	2.4 kg/m <sup>2</sup>
Classification for use	EN ISO 10874	34 & 42
Fire performance	EN 13501-1 EN ISO 9239-1 EN ISO 11925-2	Class Cfl-s1 ≥ 4.5kW/m <sup>2</sup> Pass
Slip resistance	EN 13893 DIN 51130	≥ 0.30 / DS R10
Flexibility	EN ISO 24344	Pass
Light fastness	EN ISO 105-B02	≥ 6
Wear resistance	EN 660-2	T
Castor chair abrasion	EN 425	Pass
Indentation	EN ISO 24343	≤ 0.20mm
Sound insulation	ISO 140-8	Ca. 14dB
Chemical resistance	EN ISO 26987	Good
Under floor heating	EN 12524	Suitable 27°C at adhesive line
Electrical behaviours	EN 1815	≤ 2kV Antistatic
VOC Emissions	CDPH 1350/Floorscore / M1	Approved



# Altro Cantata – adhesive-free



## Reasons to choose adhesive-free

**Range of design options and colours** – 59 inspirational and decorative solutions for all application areas.

**Helping you meet sustainability goals** – environmental credentials: sustainable, 10% recycled content, 100% recyclable post-consumer.

**Sound reduction and comfort underfoot options** – 14dB impact sound reduction, great for noisy environments, plus comfort underfoot.

**Giving reassurance and expertise** – with 15-year life expectancy and 10-year guarantee you needn't fear that an adhesive-free product will let you down.

**Sustainable wellbeing** – our new cleaning technology helps to reduce general dirt pick-up and staining and improves the floor's scuff-resistance so you need fewer abrasive cleaning products.

**Save time** – with an adhesive-free floor's speed of installation you can easily return to service within 24 hours. Closing a busy space for a lengthy period is not an option, so by installing an adhesive-free floor the work can be completed quickly so that traffic flow is uninterrupted.

**Save money** – save costs on disposal by diverting your waste from landfill or recycling the floor and reusing it.

**Easy maintenance** – an adhesive-free floor is a great problem-solver. Subfloors will stay clean from adhesive; and easy access to the subfloors for maintenance or repairs means less damage to floors and walls.

