


# **Orchestra**






#### Altro Orchestra

#### Application areas:

- · school, kindergarten and university communal spaces and classrooms
- · student accommodation and communal areas
- · hospital and care home communal areas and patient / resident rooms
- · office circulation and communal areas
- · retail
- · hotel and leisure public and dining areas
- · home adaptations / social housing communal areas
- anywhere where the passage of sound must be reduced between storeys and within rooms

For areas where comfort and sound reduction are important, 2.85mm Altro Orchestra has been engineered to create the ideal environment to learn, live and work. Low residual indentation facilitates the flexible use of equipment and furniture, including hospital beds. At the same time, the integrated impact sound insulation system cuts impact sound by 15dB. It offers comfort underfoot making life easier on the feet of students and patients but particularly hard-working staff who spend countless hours on the move. Co-ordinates with other ranges. NEW Altro Orchestra features a reduced emboss to ensure easier cleaning without compromising its technical performance.



Bongo | CH2840U WR461 / A1M152 / LRV 27



Chimes | CH2836U WR457 / A1M335 / LRV 52



Oboe | CH2835U WR456 / A1M336 / LRV 34



Violin | CH2834U Co WR455 / A1M361 / LRV 31 WR



Conga | CH2879U WR390 / A1M390 / LRV 30



Trombone | CH2839U WR460 / A1M484 / LRV 39



Flute | CH2833U WR454 / A1M86 / LRV 22



Drum | CH2837U M WR458 / A1M74 / LRV 18 W



Manon | CH2878U WR391 / A1M82 / LRV 17



Serpent\* | CH2850U WR517 / A1M136 / LRV 56



Maraca | CH2855U WR499 / A1M136 / LRV 56



Musette | CH2856U WR515 / A1M136 / LRV 49



Volta\* | CH2851U WR518 / A1M335 / LRV 48



Porter\* | CH2854U WR498 / A1M483 / LRV 43



Notturna\* | CH2853U Chromatic\* | CH2852U WR497 / A1M369 / LRV 48 WR496 / A1M136 / LRV 49



Brass\* | CH2842U WR483 / A1M483 / LRV 44



Woodwind\* | CH2843U WR489 / A1M385 / LRV 45



String | CH2841U WR484 / A1M484 / LRV 40



Percussion | CH2844U WR490 / A1M86 / LRV 18



Turandot\* | CH2847U WR482 / A1M482 / LRV 15













WR439 / A1M84 / LRV 16



Chant | CH2814U WR435 / A1M390 / LRV 26



Reed | CH2874U WR513 / A1M85 / LRV 39



WR502 / A1M390 / LRV 23



WR506 / A1M82 / LRV 20



WR510 / A1M347 / LRV 38



Macavity | CH2867U WR508 / A1M11 / LRV 57



Seville\* | CH2860U WR503 / A1M79 / LRV 45



Tosca | CH2862U WR494 / A1M494 / LRV 23 WR501 / A1M82 / LRV 13



Figaro | CH2858U



Marimba" | CH2863U WR505 / A1M390 / LRV 30



WRS09 / A1M85 / LRV 35



Nabucco\* | CH2873U WR512 / A1M84 / LRV 24



Timpani | CH2861U WR504 / A1M417 / LRV 20



Kora\* | CH2871U WR495 / A1M495 / LRV II



Aurora | CH2857U WR500 / A1M136 / LRV 60



Elektra | CH2870U WR511 / A1M392 / LRV 58



Carlotta\* | CH2865U WR507 / A1M337 / LRV 26



Trumpet | CH2825U WR446 / A1M347 / LRV 37



Glockenspiel | CH2827U WR448 / A1M361 / LRV 23













#### **Floors**







#### Altro Orchestra Custom

#### Application areas:

- · school, kindergarten and university communal spaces and classrooms
- · student accommodation and communal areas
- · hospital and care home communal areas and patient/resident rooms
- · office circulation and communal areas
- retail
- · hotel and leisure public and dining areas
- · home adaptations / social housing communal areas
- anywhere where the passage of sound must be reduced between storeys and within rooms

With Altro Orchestra Custom it's possible to create a totally unique space, completely tailored to how the area will be used, and who is using it.

Choose a design from the Altro collection of images and patterns, or upload your own design using our simple step-by-step Custom service. It couldn't be simpler. Altro Orchestra Custom floors have the performance and guarantees you expect from Altro floor plus 15dB impact sound reduction and comfort underfoot.



Hexagon Triangle Grey 1 | DPSCH0036










For full technical details @ altro.co.uk







#### PRODUCT DESCRIPTION

- Manufacturer and product reference: O Altro Orchestra 2.85mm thick Acoustic Floor by Altro Floors, telephone 8000 444 7649
- Product specification according to BS EN 651
- Heterogeneous PVC floor with fleece back
- Phthalate free plasticisers based on natural resources
- Area of use: O Corridors and classrooms in schools, kindergartens, universities, student accommodation, hospitals / care home corridors and patient rooms, retail, home adaptations / social housing
- Surface protection Easyclean PUR
- EN ISO 10874 class 34 / 42
- Width: 2000 mmThickness: 2.85mm
- Colour: TBC
- Guarantee 10 years
- Seam welding: Hot-welding with matching Altro Welding Rod
- The Altro quality and environmental management systems are certified in accordance with ISO 9001 and ISO 14001

Property	Standard	Performance
	- EN CE4	Desilie et Cleer

Flooring Type EN 651 Resilient flooring / Acoustic Flooring

Thickness EN ISO 24346 2.85mm Wear layer EN ISO 24340 0.7mm

Roll dimensions EN ISO 24341 2.0m x 20.00m - 40m<sup>2</sup>

Weight EN ISO 23997 2.6 kg/m<sup>2</sup>

Classification for use EN ISO 10874 34 & 42

Fire performance EN 13501-1

EN ISO 9239-1

EN ISO 11925-2 Class Cfl-s1

≥4.5kW/m<sup>2</sup>

Pass

Slip resistance EN 13893 DIN 51130 DS R10

Flexibility EN ISO 24344 Pass

Light fastness EN ISO 105-B02 ≥ 6
Wear resistance EN 660-2 T
Castor chair abrasion EN 425 Pass

Indentation EN ISO 24343 ≤ 0.10mm

Sound insulation ISO 140-8 Ca. 15dB Chemical resistance EN ISO 26987 Good

Under floor heating EN 12667 Suitable 27°C at adhesive line

Electrical behaviours EN 1815 ≤ 2kV Antistatic

VOC Emissions Section 01350/Floorscore Approved



### USPs – Acoustics

No issues with rolling loads, high resistance to residual indentation

0313 7 (00 43 (103			
Product Benefit	Benefit to end users		
<ul> <li>15db impact sound reduction makes it ideal for noisy environments such as hospitals and kindergartens reducing impact sound at source</li> </ul>	<ul> <li>Offers "the complete deal" – comfort underfoot, noise reduction, no issues with rolling loads, good residual indentation.</li> <li>Added comfort and warmth underfoot aided by a unique fleece backing provide an enhanced experience with added sound reduction from impact noise of 15dB to reduce sound transmission both between floor levels and in rooms.</li> </ul>		
<ul> <li>Added comfort and warmth underfoot aided by a unique fleece backing to provide an enhanced experience and 15dB sound reduction to reduce sound transmission both between floor levels and in rooms</li> </ul>	·		



# USPs – Design Flexibility



Product Benefit	Benefit to end users
<ul> <li>Wood look creates warmth and homely look, ideal for making people feel at home and potentially aiding recuperation</li> </ul>	<ul> <li>Wood works brilliantly with other Altro floors and walls, plus other finishes such as metal/glass.</li> </ul>
<ul> <li>A multitude of look scan be created – from warm and homely to cool and modern.</li> <li>Shades range from calming neutrals to vibrant shades allow the right atmosphere to be created every time harmonising with Altro walls for a complete surface solution. Subtle surface textures extenuate each design for closer realism</li> <li>Inspired by historic Dessau Bauhaus modernist art school of the 20th century.</li> <li>Made in Germany – 10 year guarantee, 15 year life expectancy</li> </ul>	<ul> <li>Customers can achieve an on trend look for their environment.</li> <li>The range of colours can also help with wayfinding and zoning.</li> <li>Harmonises with Altro walls for a complete solution (Whiterock where hygiene matters, Fortis where wall protection needed).</li> </ul>
<ul> <li>4 unique designs and 52 shades to allow flexibility of design and colour from one space to another. Designed to elevate and enhance the look and feel of a building, to match or contrast with adjacencies and future proof a space to allow change of use, without compromise.</li> <li>Three ranges draw from same colour palette to make using different products to suit different areas easier when it comes to design and LRV's.</li> </ul>	combined with Altro Debolon R300.1 and Altro Debolon R450.1 to meet the needs of
<ul> <li>High resistance to residual indentation allow this to be used throughout any commercial building.</li> </ul>	• Its low residual indentation facilitates flexible use of equipment and furniture - it's suitable for wheeled traffic .



## USPs – Wellbeing



# Benefit to end users Studies show that a well designed environments can help with faster recovery time which means that the patient/ resident is able to recover quicker which is a benefit for the end user as bed space is freed up for the next person. Comfort underfoot makes life easier on patients/residents/staff Colour palette chosen to reflect acoustic properties i.e. soft, calm, relaxing Low-reflective surfaces to reduce reflection and glare



## USPs — Practical



Pro	oduct Benefit	Ве	nefit to end users
		•	With welded finishes, there is less risk of water ingress and for dirt and bacteria to hide in gaps.
•	Can be welded to provide a hygienic surface, ensuring it's suitable for areas where that is required.	•	Alternative to carpets – softness, noise reduction but much easier to maintain and much more hygienic.
•	Dirt-hiding shades/finishes (e.g. linen).	•	In areas with high traffic, coloured patterns can help hide stains or dirt.
•	Low residual indentation facilitates flexible use of equipment and furniture it's suitable for wheeled traffic.	•	Whilst not a safety floor, moderate potential for slip is offered against occasional spillages